

References of Table A1

- Ackerman, J. D., et al. 1994. A review of the early life history of zebra mussels (*Dreissena polymorpha*): comparisons with marine bivalves. - *Canadian Journal of Zoology* 72: 1169-1179.
- Alatalo, P., et al. 1984. Reproduction and Development in the Lucinid Clam *Codakia Orbicularis* (Linné, 1758). - *Bulletin of Marine Science* 34: 424-434.
- Aldana Aranda, D., et al. 1989. Effects of temperature, algal food, feeding rate and density on the larval growth of the milk conch (*Strombus costatus*) in Mexico. - *Aquaculture* 76: 361-371.
- Allen, M. J. 1959. Embryological Development of the Polychaetous Annelid, *Diopatra cuprea* (Bosc). - *The Biological Bulletin* 116: 339-361.
- Anderson, D. T. 1961. The development of the polychaete *Haploscoloplos fragilis*. - *Quarterly Journal of Microscopical Science* 3: 257-272.
- Anger, K. and Dawirs, R. R. 1981. Influence of starvation on the larval development of *Hyas araneus* (Decapoda, Majidae). - *Helgoländer Meeresunters* 34: 287-311.
- Anger, K., et al. 1981. Effects of early starvation periods on zoeal development of brachyuran crabs. - *The Biological Bulletin* 161: 199-212.
- Anger, K. 1984. Development and growth in larval and juvenile *Hyas coarctatus* (Decapoda, Majidae) reared in the laboratory. - *Marine Ecology Progress Series* 19: 115-123.
- Anger, K., et al. 1998. Effects of reduced salinities on development and bioenergetics of early larval shore crab, *Carcinus maenas*. - *Journal of Experimental Marine Biology and Ecology* 220: 287-304.
- Anil, A. C., et al. 1995. Influence of temperature and salinity on larval development of *Balanus amphitrite*: implications in fouling ecology. - *Marine Ecology Progress Series* 118: 159-166.
- Bain, B. A. 2003. Larval types and a summary of postembryonic development within the pycnogonids. - *Invertebrate Reproduction & Development* 43: 193-222.
- Ballantine, D. L. 1983. Queen conch culture and future prospects in Puerto Rico. - *Proceedings of the Gulf and Caribbean Fisheries Institute* 35: 57-63.
- Bandel, K. 1973. Notes on *Cypraea cinerea* Gmelin and *Cyphoma gibbosum* (Linnaeus) from the Caribbean Sea and description of their spawn. - *The Veliger* 15: 335-337.
- Bandel, K. 1974. Spawning and development of some Columbidae from the Caribbean Sea of Colombia (South America). - *The Veliger* 16: 271-282.
- Bandel, K. 1976a. Die Gelege karibischer Vertreter aus den Überfamilien Strombacea, Naticacea und Tonnacea (Mesogastropoda) sowie Beobachtungen im Meer und Aquarium. - *Mitteilungen des Instituts Colombo-Alemán, Investigaciones Científicas* 8: 105-139.
- Bandel, K. 1976b. Morphologie der Gelege und ökologische Beobachtungen an Buccinaceen (Gastropoda) aus der südlichen Karibischen See. - *Bonner Zoologische Beiträge* 27: 98-133.
- Bandel, K. 1976. Observations on spawn, embryonic development and ecology of some Caribbean lower Mesogastropoda. - *The Veliger* 18: 249-271.
- Barroso, C. X. 2009. Anatomia e desenvolvimento intracapsular de *Neritina zebra* (Bruguière, 1792) (Mollusca, Gastropoda, Neritidae). - In: *Ciências Marinhas Tropicais*. Universidade Federal do Ceará, p. 77.
- Bass, N. R. and Brafield, A. E. 1972. The life-cycle of the polychaete *Nereis virens*. - *Journal of the Marine Biological Association of the United Kingdom* 52: 701-726.
- Bauer, R. T. and Rivera Vega, L. W. 1992. Pattern of reproduction and recruitment in two sicyoniid shrimp species (Decapoda: Penaeoidea) from a tropical seagrass habitat. - *Journal of Experimental Marine Biology and Ecology* 161: 223-240.
- Berrill, N. J. 1931. Studies in Tunicate Development. Part II. Abbreviation of Development in the Molgulidae. - *Philosophical Transactions of the Royal Society of London. Series B, Containing Papers of a Biological Character* 219: 281-346.

- Beu, A. G. 2001. Gradual Miocene to Pleistocene uplift of the central american isthmus: evidence from tropical american Tonnoidean gastropods. - *Journal of Paleontology* 75: 706-720.
- Bieler, R. and Hadfield, M. G. 1990. Reproductive biology of the sessile gastropod *Vermicularia spirata* (Cerithioidea: Turritellidae). - *Journal of Molluscan Studies* 56: 205-219.
- Blake, J. A. 1975. The larval development of polychaeta from the northern California coast. I. Cirriformia spirabranca (Family Cirratulidae). - *Transactions of the American Microscopical Society* 94: 179-188.
- Bookhout, C. and Costlow, J. D., Jr. 1977. Larval development of *Callinectes similis* reared in the laboratory. - *Bulletin of Marine Science* 27: 704-728.
- Bookhout, C. G. and Costlow, J. D., Jr. 1979. Larval development of *Pilumnus dasypodus* and *Pilumnus sayi* reared in the laboratory (Decapoda Brachyura, Xanthidae). - *Crustaceana*. Supplement 1-16.
- Boyle, P. J. and Turner, R. D. 1976. The larval development of the wood boring piddock *Martesia striata* (L.) (Mollusca: Bivalvia: Pholadidae). - *Journal of Experimental Marine Biology and Ecology* 22: 55-68.
- Broad, A. C. 1957. The relationship between diet and larval development of *Palaemonetes*. - *The Biological Bulletin* 112: 162-170.
- Burris, Z. P. 2010. Larval types, courtship and mating behaviors, and the costs associated with exclusive male parental care in the sea spider *Achelia simplissima* (Pycnogonida). - In: Department of Biology. University of Oregon.
- Capuzzo, J. M. and Lancaster, B. A. 1979. Some physiological and biochemical considerations of larval development in the American lobster, *Homarus Americanus* Milne Edwards. - *Journal of Experimental Marine Biology and Ecology* 40: 53-62.
- Carranza, A., et al. 2009. Latitudinal gradients in species richness for South American Mytilidae and Ostreidae: can alternative hypotheses be evaluated by a correlative approach? - *Marine Biology* 156: 1917-1928.
- Carson, H. S. and Hentschel, B. T. 2006. Estimating the dispersal potential of polychaete species in the Southern California Bight: implications for designing marine reserves. - *Marine Ecology Progress Series* 316: 105-113.
- Cipriani, R. and Penchaszadeh, P. E. 1993. How does *Strombina* reproduce? Evidence from two venezuelan species (Prosobranchia: Columbelloidea). - *The Veliger* 36: 178-184.
- Clark, K. B. and Goetzfried, A. 1978. Zoogeographic influences on development patterns of North Atlantic Ascoglossa and Nudibranchia, with a discussion of factors affecting egg size and number. - *Journal of Molluscan Studies* 44: 283-294.
- Cloney, R. A. 1982. Ascidian larvae and the events of metamorphosis. - *American Zoologist* 22: 817-826.
- Collin, R. 2003. Worldwide patterns in mode of development in calyptroid gastropods. - *Marine Ecology Progress Series* 247: 103-122.
- Costlow, J. D., Jr. and Bookhout, C. G. 1959. The Larval Development of *Callinectes sapidus* Rathbun Reared in the Laboratory. - *The Biological Bulletin* 116: 373-396.
- Costlow, J. D., Jr. and Bookhout, C. G. 1961. The larval development of *Eurypanopeus depressus* (Smith) under laboratory conditions. - *Crustaceana* 2: 6-15.
- Costlow, J. D., Jr., et al. 1962. Salinity-temperature effects on the larval development of the crab, *Panopeus herbstii* Milne-Edwards, reared in the laboratory. - *Physiological Zoology* 35: 79-93.
- Costlow, J. D., Jr. and Bookhout, C. G. 1966a. Larval development of the crab, *Hexapanopeus angustifrons*. - *Chesapeake Science* 7: 148-156.
- Costlow, J. D., Jr. and Bookhout, C. G. 1966b. Larval stages of the crab, *Pinnotheres maculatus*, under laboratory conditions. - *Chesapeake Science* 7: 157-163.
- Costlow, J. D., Jr., et al. 1966. Studies on the larval development of the crab, *Rhithropanopeus harrisi* (Gould). I. The effect of salinity and temperature on larval development. - *Physiological Zoology* 39: 81-100.
- Costlow, J. D., Jr. and Bookhout, C. 1967. The larval stages of the crab, *Neopanope packardii* (Kingsley), in the laboratory. - *Bulletin of Marine Science* 17: 52-63.

- Crisp, D. J. 1962a. The larval stages of *Balanus hameri* (Ascanius, 1767). - *Crustaceana* 4: 123-130.
- Crisp, D. J. 1962b. The planktonic stages of the Cirripedia *Balanus balanoides* (L.) and *Balanus balanus* (L.) from north temperate waters. - *Crustaceana* 3: 207-221.
- Culliney, J. L. 1971. Laboratory rearing of the larvae of the mahogany date mussel *Lithophaga bisulcata*. - *Bulletin of Marine Science* 21: 591-602.
- Chamberlain, N. A. 1961. Studies on the larval development of *Neopane texana* say (Smith) and other crabs of the family Xanthidae (Brachiura). - Chesapeake Bay Institute, The Johns Hopkins University Technical Report 22: 1-35.
- Chambers, R. J. and McQuaid, C. D. 1994. A review of larval development in the intertidal limpet genus *Siphonaria* (Gastropoda: Pulmonata). - *Journal of Molluscan Studies* 60: 415-423.
- Chanley, P. and Castagna, M. 1971. Larval development of the stout razor clam, *Tagelus plebeius* Solander (Solecurtidae: Bivalvia). - *Chesapeake Science* 12: 167-172.
- Chesher, R. H. 1969. Contributions to the Biology of *Meoma Ventricosa* (Echinoidea: Spatangoida). - *Bulletin of Marine Science* 19: 72-110.
- D'Asaro, C. N. 1969. The spawn of the emperor helmet shell, *Cassis madagascariensis* Lamarck, from south Florida. - *Bulletin of Marine Science* 19: 905-910.
- D'Asaro, C. N. 1970. Egg capsules of prosobranch mollusks from south Florida and the Bahamas and notes on spawning in the laboratory. - *Bulletin of Marine Science* 20: 414-440.
- D'Asaro, C. N. 1986. Egg capsules of eleven marine prosobranchs from northwest Florida. - *Bulletin of Marine Science* 39: 76-91.
- D'Asaro, C. N. 1991. Gunnar Thorson's worldwide collection of prosobranch egg capsules: Muricidae. - *Ophelia* 35: 1-101.
- D'Asaro, C. N. 1993. Gunnar Thorson's worldwide collection of prosobranch egg capsules: Nassariidae. - *Ophelia* 38: 149-215.
- D'Asaro, C. N. 1997. Gunnar Thorson's worldwide collection of prosobranch egg capsules: Melongenidae. - *Ophelia* 46: 83-125.
- D'Asaro, C. N. 2000. Gunnar Thorson's worldwide collection of prosobranch egg capsules: Fasciolaridae. - *Ophelia* 52: 77-112.
- De Schweinitz, E. H. and Lutz, R. A. 1976. Larval development of the northern horse mussel, *Modiolus modiolus* (L.), including a comparison with the larvae of *Mytilus edulis* L. as an aid in planktonic identification. - *The Biological Bulletin* 348-360.
- deMaintenon, M. J. 2000. A new species of *Columbella* (Neogastropoda: Columbellidae) from the Caribbean Neogene. - *Nautilus* 114:
- Diaz, G. A. 1998. Description of the last seven pelagic larval stages of *Squilla* Sp. (Crustacea, Stomatopoda). - *Bulletin of Marine Science* 62: 753-762.
- Diaz, H. and Costlow, J. D. 1972. Larval development of *Ocypode quadrata* (Brachyura: Crustacea) under laboratory conditions. - *Marine Biology* 15: 120-131.
- Dupont, S., et al. 2010. Near future ocean acidification increases growth rate of the lecithotrophic larvae and juveniles of the sea star *Crossaster papposus*. - *Journal of experimental zoology. Part B, Molecular and developmental evolution* 314: 382-9.
- Eckert, G. L. 2003. Effects of the planktonic period on marine population fluctuations. - *Ecology* 84: 372-383.
- Ehlinger, G. S. and Tankersley, R. A. 2004. Survival and development of horseshoe crab (*Limulus polyphemus*) embryos and larvae in hypersaline conditions. - *The Biological Bulletin* 206: 87-94.
- Emlet, R. B. 1986. Facultative planktotrophy in the tropical echinoid *Clypeaster rosaceus* (Linnaeus) and a comparison with obligate planktotrophy in *Clypeaster subdepressus* (Gray) (Clypeasteroidea: Echinoidea). - *Journal of Experimental Marine Biology and Ecology* 95: 183-202.
- Epifanio, C. E., et al. 1988. Dispersal and recruitment of fiddler crab larvae in the Delaware River estuary. - *Marine Ecology Progress Series* 43: 181-188.

- Fischer, A. and Dorresteijn, A. 2004. The polychaete *Platynereis dumerilii* (Annelida): a laboratory animal with spiralian cleavage, lifelong segment proliferation and a mixed benthic/pelagic life cycle. - *BioEssays : news and reviews in molecular, cellular and developmental biology* 26: 314-25.
- Fortunato, H. 2004. Reproductive strategies in gastropods across the Panama seaway. - *Invertebrate Reproduction & Development* 46: 139-148.
- Forward, R. B., Jr. 1990. Behavioral responses of crustacean larvae to rates of temperature change. - *The Biological Bulletin* 178: 195-204.
- Fuller, S. C. and Lutz, R. A. 1989. Shell morphology of larval and post-larval mytilids from the north-western Atlantic. - *Journal of the Marine Biological Association of the United Kingdom* 69: 181-218.
- George, J. D. 1966. Reproduction and early development of the spionid polychaete, *Scolecopides viridis* (Verrill). - *The Biological Bulletin* 130: 76-93.
- Gordon, H. and Franz, D. R. 1982. The biology of a brooding seastar, *Leptasterias tenera*, in Block Island Sound. - *The Biological Bulletin* 162: 273-289.
- Gore, R. H. 1968. The larval development of the commensal crab *Polyonyx gibbesi* Haig, 1956 (Crustacea: Decapoda). - *The Biological Bulletin* 135: 111-129.
- Gore, R. H. 1971. The complete larval development of *Porcellana sigsbeiana* (Crustacea: Decapoda) under laboratory conditions. - *Marine Biology* 11: 344-355.
- Gore, R. H. 1979. Larval development of *Galathea rostrata* under laboratory conditions, with a discussion of larval development in the Galatheidae (Crustacea Anomura). - *Fishery Bulletin* 76: 781-806.
- Gore, R. H., et al. 1981. Studies on decapod Crustacea from the Indian River Region of Florida. XX. *Micropanope barbadensis* (Rathbun, 1921): the complete larval development under laboratory conditions (Brachyura, Xanthidae). - *Journal of Crustacean Biology* 1: 28-50.
- Grantham, B. A., et al. 2003. Dispersal potential of marine invertebrates in diverse habitats. - *Ecological Applications* 13: 108-116.
- Gros, O., et al. 1997. Embryonic, larval, and post-larval development in the symbiotic clam *Codakia orbicularis* (Bivalvia: Lucinidae). - *Invertebrate Biology* 116: 86-101.
- Grosberg, R. K. 1987. Limited dispersal and proximity-dependent mating success in the colonial ascidian *Botryllus schlosseri*. - *Evolution* 41: 372-384.
- Guizien, K., et al. 2006. Dispersal of *Owenia fusiformis* larvae by wind-driven currents: turbulence, swimming behaviour and mortality in a three-dimensional stochastic model. - *Marine Ecology Progress Series* 311: 47-66.
- Gustafson, R. G., et al. 1991. Gastropod egg capsules and their contents from deep-sea hydrothermal vent environments. - *The Biological Bulletin* 180: 34-55.
- Harvey, A. W. 1996. Delayed metamorphosis in Florida hermit crabs: multiple cues and constraints (Crustacea: Decapoda: Paguridae and Diogenidae). - *Marine Ecology Progress Series* 141: 1-11.
- Hernández, G., et al. 1998. Larval development of *Porcellana sayana* (Leach, 1820) (Crustacea: Decapoda: Porcellanidae) under laboratory conditions. - *Nauplius* 6: 101-118.
- Herrera, J. C., et al. 1996. Diversity of energetic strategies among echinoid larvae and the transition from feeding to nonfeeding development. - *Oceanologica ACTA* 19: 313-321.
- Highsmith, R. C. and Emlet, R. B. 1986. Delayed metamorphosis: Effect on growth and survival of juvenile sand dollars (Echinoidea: Clypeasteroidea). - *Bulletin of Marine Science* 39: 347-361.
- Hiller, A., et al. 2006. The *Petrolisthes galathinus* complex: species boundaries based in color pattern, morphology and molecules, and evolutionary interrelationships between this complex and other Porcellanidae (Crustacea: Decapoda: Anomura). - *Molecular Phylogenetics and Evolution* 40: 547-569.
- Hoegh-Guldberg, O. and Pearse, J. S. 1995. Temperature, food availability, and the development of marine invertebrate larvae. - *American Zoologist* 35: 415-425.
- Honkoop, P. J. C., et al. 1999. Reproductive investment in the intertidal bivalve *Macoma balthica*. - *Journal of Sea Research* 41: 203-212.

- Houbrick, R. S. 1973. Studies on the reproductive biology of the Genus *Cerithium* (Gastropoda: Prosobranchia) in the Western Atlantic. - *Bulletin of Marine Science* 23: 875-904.
- Houbrick, R. S. 1987. Anatomy of *Alaba* and *Litiopa* (Prosobranchia: Litiopidae): Systematic implications. - *The Nautilus* 101: 9-18.
- Hrs-Brenko, M. 2006. The basket shell, *Corbula gibba* Olivi, 1792 (Bivalve Mollusks) as a species resistant to environmental disturbances: a review. - *Acta Adriatica* 47: 49-64.
- Hyman, O. W. 1924. Studies on larvae of crabs of the family Grapsidae. - *Proceedings U. S. National Museum* 64: 1-15.
- Irvine, S. Q., et al. 1999. Larval ontogenetic stages of *Chaetopterus*: developmental heterochrony in the evolution of chaetopterid polychaetes. - *The Biological Bulletin* 197: 319-31.
- Jesús Navarrete, A. and Pérez Flores, M. 2007. Distribución y abundancia de larvas de Strombidae en la Bahía de la Ascensión, Quintana Roo, México. - In: *Proceedings of the Gulf and Caribbean Fisheries Institute*. pp. 411-416.
- Kircher, A. B. 1970. The zoeal stages and glaucothoë of *Hypoconcha arcuata* Stimpson (Decapoda: Dromiidae) reared in the laboratory. - *Bulletin of Marine Science* 20: 769-792.
- Knight-Jones, E. 1953. Decreased discrimination during setting after prolonged planktonic life in larvae of *Spirorbis borealis* (Serpulidae). - *Journal of the Marine Biological Association of the United Kingdom* 32: 337-345.
- Knowlton, R. E. 1973. Larval development of the snapping shrimp *Alpheus heterochaelis* Say, reared in the laboratory. - *Journal of Natural History* 7: 273-306.
- Kohn, A. J. and Perron, F. E. 1994. *Life history and biogeography: patterns in Conus*. - Oxford University Press.
- LaBarbera, M. and Chanley, P. 1971. Larval and postlarval development of the corrugated jewel box clam *Chama congregata* Conrad (Bivalvia: Chamidae). - *Bulletin of Marine Science* 21: 733-744.
- Lane, C. E., et al. 1954. The respiration of normal larvae of *Teredo bartschi* Clapp. - *The Biological Bulletin* 106: 323-327.
- Lang, W. and Young, A. 1977. The larval development of *Clibanarius vittatus* (Bosc)(Crustacea: Decapoda; Diogenidae) reared in the laboratory. - *The Biological Bulletin* 84-104.
- Lee, T. and Foighil, D. O. 2005. Placing the Floridian marine genetic disjunction into a regional evolutionary context using the scorched mussel, *Brachidontes exustus*, species complex. - *Evolution* 59: 2139-58.
- Lewis, J. B. 1951. The phyllosoma larvae of the spiny lobster *Panulirus argus*. - *Bulletin of Marine Science* 1: 89-103.
- Lovett, D. L. and Felder, D. L. 1990. Ontogenetic change in digestive enzyme activity of larval and postlarval white shrimp *Penaeus setiferus* (Crustacea, Decapoda, Penaeidae). - *The Biological Bulletin* 178: 144-159.
- Lovrich, G. A., et al. 2003. Changes in biomass and chemical composition during lecithotrophic larval development of the southern king crab, *Lithodes santolla* (Molina). - *Journal of Experimental Marine Biology and Ecology* 288: 65-79.
- Malaquias, M. A. E. and Reid, D. G. 2009. Tethyan vicariance, relictualism and speciation: evidence from a global molecular phylogeny of the opisthobranch genus *Bulla*. - *Journal of Biogeography* 36: 1760-1777.
- Mann, R. and Gallagher, S. M. 1984. Physiology of the wood boring mollusc *Martesia cuneiformis* Say. - *The Biological Bulletin* 166: 167-177.
- Mann, R. and Gallagher, S. M. 1985. Physiological and biochemical energetics of larvae of *Teredo navalis* L. and *Bankia gouldi* (Bartsch) (Bivalvia : Teredinidae). - *Journal of Experimental Marine Biology and Ecology* 85: 211-228.
- Manzano, N. B., et al. 2000. Effects of feeding period on development, growth, and survival of larvae of the fighting conch *Strombus pugilis* Linné, 1758 (Mollusca, Gastropoda) in the laboratory. - *Bulletin of Marine Science* 67: 903-910.

- Marques, F. and Pohle, G. 1996. Laboratory-reared larval stages of *Dissodactylus mellitae* (Decapoda: Braohyura: Pinnotheridae) and developmental patterns within the *Dissodactylus* species complex. - *Canadian Journal of Zoology* 74: 47-62.
- Martin, J. W. and Truesdale, F. M. 1989. Zoeal development of *Ethusa microphthalmia* smith, 1881 (Brachyura, Dorippidae) reared in the laboratory, with a comparison of other dorippid zoeae. - *Journal of Natural History* 23: 205-217.
- Matthews-Cascon, H. and Pereira, H. A. 2005. Observations on the reproduction of *Pisania pusio* (Linnaeus, 1758) (Mollusca: Gastropoda: Buccinidae) in laboratory. - *Tropical Oceanography* 33: 159-162.
- McAlister, J. S. and Moran, A. L. 2012. Relationships among egg size, composition, and energy: a comparative study of geminate sea urchins. - *PLoS ONE* 7: e41599.
- McEdward, L. R. and Miner, B. G. 2001. Larval and life-cycle patterns in echinoderms. - *Canadian Journal of Zoology* 79: 1125-1170.
- McLaughlin, P. A. and Gore, R. H. 1988. Studies on the Provenzanoi and other pagurid groups: I. The larval stages of *Pagurus maclaughlinae* García-Gómez, 1982 (Decapoda: Anomura: Paguridae), reared under laboratory conditions. - *Journal of Crustacean Biology* 8: 262-282.
- Merkt, R. E. and Ellison, A. M. 1998. Geographic and habitat-specific morphological variation of *Littoraria (Littorinopsis) angulifera* (Lamarck, 1822). - *Malacologia* 40: 279-295.
- Miloslavich, P. and Penchaszadeh, P. E. 2001. Adelphophagy and cannibalism during early development of *Crucibulum auricula* (Gmelin, 1791) (Gastropoda : Calyptraeidae) from the Venezuelan Caribbean - *Nautilus* 115: 39-44.
- Millar, R. H. 1971. The Biology of Ascidians. - In: S. R. Frederick and Y. Maurice (eds), *Advances in Marine Biology*. Academic Press, pp. 1-100.
- Moran, A. L. 2004. Egg size evolution in tropical American arcid bivalves: the comparative method and the fossil record. - *Evolution* 58: 2718-33.
- Motoh, H. 1985. Biology and ecology of *Penaeus monodon*. - In: Taki Y., et al. (eds), *Proceedings of the First International Conference on the Culture of Penaeid Prawns/Shrimps*. pp. 27-36.
- Muthiah, P. and Sampath, K. 2000. Spawn and fecundity of *Cymatium (Monoplex) pileari* and *Cymatium (Linatella) cigulatum* (Gastropoda: Ranellidae) - *Journal of Molluscan Studies* 66: 293-300.
- Nates, S. F., et al. 1997. Comparative larval development in two species of the burrowing ghost shrimp Genus *Lepidophthalmus* (Decapoda: Callinassidae). - *Journal of Crustacean Biology* 17: 497-519.
- Negreiros-Fransozo, M. L., et al. 1989. Larval Development of *Persephona mediterranea* (Herbst, 1794) (Brachyura, Leucosiidae) under Laboratory Conditions. - *Crustaceana* 57: 177-193.
- Nyblade, C. F. 1970. Larval development of *Pagurus annulipes* (Stimpson, 1862) and *Pagurus pollicaris* Say, 1817 reared in the laboratory. - *The Biological Bulletin* 139: 557-573.
- O'Connor, M. I., et al. 2007. Temperature control of larval dispersal and the implications for marine ecology, evolution, and conservation. - *Proceedings of the National Academy of Sciences* 104: 1266-1271.
- Oberlechner, M. 2008. Species delineation and genetic variation of *Hiatella "arctica"* (Bivalvia, Heterodonta) in the Mediterranean Sea. - In: University of Vienna.
- Olson, M. A., et al. 2009. Estuarine-scale genetic variation in the polychaete *Hobsonia florida* (Ampharetidae; Annelida) in Long Island Sound and relationships to Pleistocene glaciations. - *The Biological Bulletin* 217: 86-94.
- Pansch, C., et al. 2013. Larval development of the barnacle *Amphibalanus improvisus* responds variably but robustly to near-future ocean acidification. - *ICES Journal of Marine Science: Journal du Conseil* 70: 805-811.
- Pike, R. B. and Williamson, D. I. 1964. The larvae of some species of Pandalidae (Decapoda). - *Crustaceana* 6: 265-284.
- Porter, H. 1960. Zoeal stages of the stone crab, *Menippe mercenaria* Say. - *Chesapeake Science* 1: 168-177.
- Qian, P.-Y. and Chia, F.-S. 1991. Effects of food concentration on larval growth and development of two polychaete worms, *Capitella capitata* (Fabricius) and *Polydora ligni* Webster. - *Bulletin of Marine Science* 48: 477-484.

- Quayle, D. B. and Newkirk, G. F. 1989. Farming bivalve molluscs: methods for study and development. - The World Aquaculture Society.
- Radwin, G. E. C., J L 1973. Patterns of larval development In stenoglossan gastropods. - Transactions of The San Diego Society of Natural History 17:
- Rees, G. H. 1959. Larval development of the sand crab *Emerita talpoida* (Say) in the laboratory. - The Biological Bulletin 117: 356-370.
- Reitzel, A. M., et al. 2005. The contribution of the facultative feeding period to echinoid larval development and size at metamorphosis: a comparative approach. - Journal of Experimental Marine Biology and Ecology 317: 189-201.
- Rice, A. L. and Jr, A. J. P. 1965. The zoeal stages and the glaucothoe of *Paguristes sericeus* A. Milne-Edwards (Anomura, Diogenidae). - Crustaceana 8: 239-254.
- Rice, A. L. and Provenzano, A. J. 1966. The larval development of the West Indian sponge crab *Dromidia antillensis* (Decapoda: Dromiidae). - Journal of Zoology 149: 297-316.
- Rice, A. L. and Provenzano, J. A. J. 1970. Biological results of the University of Miami deep-sea expeditions. 55. The larval stages of *Homola barbata* (Fabricius) (Crustacea, Decapoda, Homolidae) reared in the laboratory. - Bulletin of Marine Science 20: 446-471.
- Richards, T. L. 1967. Reproduction and development of the polychaete *Stauronereis rudolphi*, including a summary of development in the superfamily Eunicea. - Marine Biology 1: 124-133.
- Rivest, B. R. 1986. Extra-embryonic nutrition in the prosobranch gastropod *Urosalpinx cinerea* (Say, 1822). - Bulletin of Marine Science 39: 498-505.
- Robert, M. H., Jr. 1973. Larval Development of *Pagurus acadianus* Benedict, 1901, Reared in the Laboratory (Decapoda, Anomura). - Crustaceana 24: 303-317.
- Roberts, M. H., Jr. 1968. Larval development of the decapod *Euceramus praelongus* in laboratory culture. - Chesapeake Science 9: 121-130.
- Roberts, M. H., Jr. 1970. Larval development of *Pagurus longicarpus* Say reared in the laboratory, I. Description of larval instars. - The Biological Bulletin 139: 188-202.
- Robertson, P. B. 1968. The complete larval development of the sand lobster, *Scyllarus Americanus* (Smith), (Decapoda, Scyllaridae) in the laboratory, with notes on larvae from the plankton. - Bulletin of Marine Science 18: 294-342.
- Robertson, R. 2012. B-type protoconchs and all three modes of larval development in eastern North American *Boonea* (Pyramidellidae). - American Malacological Bulletin 30: 229-246.
- Rosewater, J. 1975. An annotated list of the marine mollusks of Ascension Island, South Atlantic Ocean. - Smithsonian Contributions to Zoology 189:
- Sandifer, P. A. and Van Engel, W. A. 1971. Larval development of the spider crab, *Libinia dubia* H. Milne Edwards (Brachyura, Majidae, Pisinae), reared in laboratory culture. - Chesapeake Science 12: 18-25.
- Sandifer, P. A. 1973. Larvae of the burrowing shrimp, *Upogebia affinis*, (crustacea, decapoda, upogebiidae) from Virginia plankton. - Chesapeake Science 14: 98-104.
- Sandifer, P. A. 1974a. Larval stages of the crab, *Pilumnus Dasypodus* Kingsley (Crustacea, Brachyura, Xanthidae), obtained in the laboratory. - Bulletin of Marine Science 24: 378-391.
- Sandifer, P. A. 1974b. Larval stages of the shrimp, *Ogyrides limicola* Williams, 1955 (Decapoda, Caridea) obtained in the laboratory. - Crustaceana 26: 37-60.
- Sandifer, P. A. 1975. The role of pelagic larvae in recruitment to populations of adult decapod crustaceans in the York River estuary and adjacent lower Chesapeake Bay, Virginia. - Estuarine and Coastal Marine Science 3: 269-279.
- Santana, W., et al. 2003. Zoeal stages and megalopa of *Mithrax hispidus* (Herbst, 1790) (Decapoda: Brachyura: Majoidea: Mithracidae): a reappraisal of larval characters from laboratory cultured material and a review of larvae of the *Mithrax-Mithraculus* species complex. - Invertebrate Reproduction & Development 44: 17-32.

- Santana, W., et al. 2004. Larval stages of *Stenocionops furcatus* (Olivier, 1791) (Decapoda: Brachyura: Majoidea) and a reappraisal of larval morphological characters for Mithracidae. - *Journal of Plankton Research* 26: 859-874.
- Sastry, A. N. 1977a. The larval development of the Jonah crab, *Cancer borealis* Stimpson, 1859, under laboratory conditions (Decapoda Brachyura). - *Crustaceana* 32: 290-303.
- Sastry, A. N. 1977b. The larval development of the rock crab, *Cancer irroratus* Say, 1817, under laboratory conditions (Decapoda Brachyura). - *Crustaceana* 32: 155-168.
- Scheltema, R. and Scheltema, A. 1963. Pelagic larvae of New England intertidal gastropods II. *Anachis avara*. - *Hydrobiologia* 22: 85-91.
- Scheltema, R., et al. 1981. Gregarious settlement by the larvae of *Hydroides dianthus* (Polychaeta: Serpulidae). - *Marine Ecology Progress Series* 5: 69-74.
- Scheltema, R. S. 1962. Pelagic larvae of New England intertidal gastropods. I. *Nassarius obsoletus* Say and *Nassarius vibex* Say. - *Transactions of the American Microscopical Society* 81: 1-11.
- Scheltema, R. S. 1971. Larval dispersal as a means of genetic exchange between geographically separated populations of shallow-water benthic marine gastropods. - *The Biological Bulletin* 140: 284-322.
- Scheltema, R. S. 1984. Development and planktonic larvae of common benthic invertebrates of the Woods Hole, Massachusetts region : summary of existing data and bibliographic sources. - In: Woods Hole Oceanographic Institution.
- Scheltema, R. S. 1989. Planktonic and non-planktonic development among prosobranch gastropods and its relationship to the geographic range of species. - In: *Reproduction, genetics and distributions of marine organisms*. Olsen & Olsen, pp. 183-188.
- Scheltema, R. S. and Williams, I. P. 2009. Reproduction among protobranch bivalves of the family Nuculidae from sublittoral, bathyal, and abyssal depths off the New England coast of North America. - *Deep Sea Research Part II: Topical Studies in Oceanography* 56: 1835-1846.
- Seridji, R. 1988. Some planktonic larval stages of *Albunea carabus* (L., 1758)(Crustacea, Decapoda, Anomura). - *Journal of natural history* 22: 1293-1300.
- Shield, P. D. 1978. Larval development of the caridean shrimp, *Hippolyte pleuracanthus* (Stimpson), reared in the laboratory. - *Estuaries* 1: 1-16.
- Shumway, S. E. and Parsons, J. G. 2011. *Scallops: Biology, Ecology and Aquaculture: Biology, Ecology and Aquaculture*. - Elsevier.
- Shuto, T. 1983. Larval development and geographical distribution of the Indo-West Pacific *Murex*. - *Bulletin of Marine Science* 33: 536-544.
- Simpson, M. 1962. Gametogenesis and early development of the polychaete *Glycera dibranchiata*. - *The Biological Bulletin* 123: 412-423.
- Skulyari, M. 1997. Larval development of *Sphaerosyllis erinaceus* Claparede, 1863 from the Black Sea. - *Bulletin of Marine Science -Miami-* 60: 624-624.
- Smith, K. E. and Thatje, S. 2013. Nurse egg consumption and intracapsular development in the common whelk *Buccinum undatum* (Linnaeus 1758). - *Helgoland Marine Research* 67: 109-120.
- Smith, S. T. 1967. The development of *Retusa obtusa* (Montagu)(Gastropoda, Opisthobranchia). - *Canadian Journal of Zoology* 45: 737-764.
- Southgate, P. C. and Lucas, J. S. 2008. *The Pearl Oyster*. - Elsevier.
- Speybroeck, J., et al. 2007. Understanding the life of a sandy beach polychaete of functional importance—*Scolecopsis squamata* (Polychaeta: Spionidae) on Belgian sandy beaches (northeastern Atlantic, North Sea). - *Estuarine, Coastal and Shelf Science* 74: 109-118.
- Spight, T. M. 1976. Ecology of hatching size for marine snails. - *Oecologia* 24: 283-294.
- Squires, H. 1996. Larvae of the hermit crab, *Pagurus arcuatus*, from the plankton (Crustacea, Decapoda). - *Journal of Northwest Atlantic Fishery Science* 18: 43-56.
- Strasser, K. M. and Felder, D. L. 1999. Larval development in two populations of the ghost shrimp *Callichirus major* (Decapoda: Thalassinidea) under laboratory conditions. - *Journal of Crustacean Biology* 844-878.
- Strathmann, M. 1987. Reproduction and development of marine invertebrates of the northern Pacific coast.

- Strathmann, R. 1978. Length of pelagic period in echinoderms with feeding larvae from the northeast Pacific. - *Journal of experimental marine biology and ecology* 34: 23-27.
- Svane, I. and Young, C. M. 1989. The ecology and behaviour of ascidian larvae. - *Oceanography and Marine Biology: An Annual Review* 27: 45-90.
- Taishaku, H. and Konishi, K. 1995. Zoeas of Calappa species with special reference to larval characters of the family Calappidae (Crustacea, Brachyura). - *Zoological Science* 12: 649-654.
- Thiriot-Quievreux, C. and Scheltema, R. S. 1982. Pelagic larvae of New England intertidal gastropods. V. *Bittium alternatum*, *Triphora nigrocincta*, *Cerithiopsis emersoni*, *Lunatia heros* and *Crepidula plana*. - *Malacologia* 23: 37-46.
- Thiyagarajan, V., et al. 2003. Combined effects of temperature and salinity on larval development and attachment of the subtidal barnacle *Balanus trigonus* Darwin. - *Journal of Experimental Marine Biology and Ecology* 287: 223-236.
- Velasco, L. A. and Barros, J. 2008. Experimental larval culture of the Caribbean scallops *Argopecten nucleus* and *Nodipecten nodosus*. - *Aquaculture Research* 39: 603-618.
- Wehrtmann, I. S. 1991. How important are starvation periods in early larval development for survival of *Crangon septemspinosa* larvae? - *Marine Ecology Progress Series* 73: 183-190.
- Wells, F. E. and Lalli, C. M. 1977. Reproduction and brood protection in the Caribbean gastropods *Coralliophila abbreviata* and *C. caribaea*. - *Journal of Molluscan Studies* 43: 79-87.
- Wienberg, R. 1982. Studies on the influence of temperature, salinity, light, and feeding rate on laboratory reared larvae of deep sea shrimp *Pandalus borealis* Kröyer 1838. - *Ber. Dtsch. Wiss. Komm. Meeresforsch.* 29: 136-153.
- Wilson, D. P. 1932. The development of *Nereis pelagica* Linnaeus. - *Journal of the Marine Biological Association of the United Kingdom (New Series)* 18: 203-217.
- Wilson, W. H. 1991. Sexual reproductive modes in polychaetes: classification and diversity. - *Bulletin of Marine Science* 48: 500-516.
- Williams, S. and Reid, D. 2004. Speciation and diversity on tropical rocky shores: a global phylogeny of snails of the genus *Echinolittorina*. - *Evolution* 58: 2227-2251.
- Zulliger, D. E. and Lessios, H. 2010. Phylogenetic relationships in the genus *Astropecten* Gray (Paxilloidea: Astropectinidae) on a global scale: molecular evidence for morphological convergence, species-complexes and possible cryptic speciation. - *Zootaxa* 2504: 1-19.